

Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 1/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

## Safety data sheet

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

15091 Code:

Product name Sens.ùs Inblonde Ultra Platinum 9 Deco

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use bleacing powder

1.3. Details of the supplier of the safety data sheet

G&P Cosmetics s.r.l. Full address Via A. de Gasperi, 8 52037 - Sansepolcro (AR) District and Country

Italy

Tel. +39 0575 720682

e-mail address of the competent person

regulatory@ilovesensus.it responsible for the Safety Data Sheet

1.4. Emergency telephone number

For urgent inquiries refer to Ospedale Niguarda Ca" Granda - Milano - 02/66101029

Azienda Ospedaliera S.G.Battista - Molinette - Torino - 011/6637637 Clinica Del Lavoro E Della Riabilitazione- Pavia - 0382/24444 Università Degli Studi Di Padova - Padova - 049/8275078 04

Istituto Scientifico G. Gaslini - Genova - 010/5636245 Azienza Ospedaliera Careggi - Firenze - 055/4277238

Policlinico A.Gemelli - Univ. Cattolica Del Sacro Cuore - Roma - 06/3054343

Centro Antiveleni - Università La Sapienza - Roma - 06/49970698

Centro Antiveleni Azienda Ospedaliera A. Cardarelli - Napoli - 081/7472870

#### **SECTION 2. Hazards identification**

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

riazara diassindation and indication.		
Oxidising solid, category 3	H272	May intensify fire; oxidiser.
Acute toxicity, category 4	H302	Harmful if swallowed.
Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure, category 3	H335	May cause respiratory irritation.
Respiratory sensitization, category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 2/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

#### Hazard pictograms:









Signal words: Danger

#### Hazard statements:

H272 May intensify fire; oxidiser. H302 Harmful if swallowed.

**H314** Causes severe skin burns and eye damage.

**H335** May cause respiratory irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

#### Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.
P260 Do not breathe dust / fume / gas / mist / vapours / spray.
P264 Wash . . . thoroughly after handling.

**P280** Wear protective gloves / clothing and eye / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 Immediately call a POISON CENTER / doctor / . . .

Contains: DISODIUM METASILICATE

SODIUM SILICATE

DIPOTASSIUM PEROXODISULPHATE AMMONIUM PEROXYDISULPHATE

SODIUM PERSULFATE

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### **SECTION 3. Composition/information on ingredients**

#### 3.1. Substances

Information not relevant



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 3/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

(CLP)

#### 3.2. Mixtures

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Identification x = Conc. %

**DIPOTASSIUM PEROXODISULPHATE** 

CAS 7727-21-1  $25 \le x < 50$ Ox. Sol. 3 H272, Acute Tox. 4

H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Resp. Sens. 1 H334,

Classification 1272/2008

Skin Sens. 1 H317

EC 231-781-8

INDEX 016-061-00-1

Reg. no. 01-2119495676-19-0000

SODIUM SILICATE

CAS 1344-09-8  $20 \le x < 25$ Eye Dam. 1 H318, Skin Irrit. 2

H315, STOT SE 3 H335

EC 215-687-4

INDEX -

Reg. no. 01-2119448725-31-0011 **AMMONIUM PEROXYDISULPHATE** 

CAS 7727-54-0  $20 \le x < 25$ Ox. Sol. 3 H272, Acute Tox. 4

H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Resp. Sens. 1 H334,

Skin Sens. 1 H317 EC 231-786-5

INDEX 016-060-00-6

Reg. no. 01-2119495973-19-0000

SODIUM PERSULFATE

CAS 7775-27-1 5 ≤ x < 10 Ox. Sol. 3 H272, Acute Tox. 4

> H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Resp. Sens. 1 H334, Skin Sens. 1 H317

EC 231-892-1

INDEX -

Reg. no. 01-2119495975-15-0000

**DISODIUM METASILICATE** 

CAS 6834-92-0  $5 \le x < 10$ Met. Corr. 1 H290, Skin Corr.

1B H314, STOT SE 3 H335

EC 229-912-9 INDEX 014-010-00-8

Reg. no. 01-2119449811-37-xxxx

## **SECTION 4. First aid measures**



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 4/17

#### Sens.ùs Inblonde Ultra Platinum 9 Deco

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

#### **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

#### SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water.

Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

#### 5.2. Special hazards arising from the substance or mixture

#### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.

#### 5.3. Advice for firefighters

#### GENERAL INFORMATION

In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 5/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire, if it is safe to do so.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6. Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If the product is flammable, use explosion-proof equipment. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

#### **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 6/17

### Sens.ùs Inblonde Ultra Platinum 9 Deco

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Store in cool (below 30 °C) and dry areas. Avoid contamination and avoid the presence of reducing agents like lotions and permanent waves. Discard any unused mixture with developer or bleaching lotions, since the container may break. AVOID humid organic material as paper towel, wood, clothes, etc. which could induce spontaneous combustion. Protect from heat and sunlight; store in places far from rain and humidity; never store outdoors. Store separately from other dangerous and incompatible substances.

#### 7.3. Specific end use(s)

Information not available

## **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Regulatory References:

ESP España INSHT - Límites de exposición profesional para agentes químicos en

España 2015

TLV-ACGIH ACGIH 2016

Dipotassium peroxodisulp	hate							
Predicted no-effect concentration	n - PNEC							
Normal value in fresh water				0,0763		mg/l		
Normal value in marine water				0,011 mg/l				
Normal value for fresh water sediment				0,275 mg/kg				
Normal value for marine water sediment				0,0396 mg/kg				
Normal value for water, intermitte				0,763 mg/l				
Normal value of STP microorganisms  Normal value for the terrestrial compartment				3,6 mg/l 0,015 mg/kg				
Health - Derived no-effect		MEI		0,015		mg/kg		
Health - Derived no-enect	Effects on	VI C L			Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
·		,		systemic		systemic		systemic
Oral		30 mg/kg bw/d		9,1 mg/kg		_		
				bw/d		/ -		
Inhalation	295 mg/m3	295 mg/m3	1,03 mg/m3	1,03 mg/m3		590 mg/m3	2,06 mg/m3	2,06 mg/m3
Skin	1,124 mg/cm2	200 mg/kg bw/d	0,051 mg/cm2	9,1 mg/kg	2,248	400 mg/kg	0,102	18.2 mg/kg
				bw/d	mg/cm2	bw/d	mg/cm2	bw/d
AMMONIUM PEROXYDISULPHATE								
Threshold Limit Value								
Type	Country	TWA/8h		STEL/15min				
		mg/m3	ppm	mg/m3	ppm			
VLA	ESP	0,1						
TLV-ACGIH		0,1						
Predicted no-effect concentration - PNEC								
Normal value in fresh weter				0.0763		m~/!		
Normal value in fresh water Normal value in marine water				0,0763		mg/l mg/l		
Normal value in manne water				0,011		IIIg/I		



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 7/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

Normal value for fresh water sedi Normal value for marine water se				0,275 0,0396		mg/kg mg/kg		
Normal value for water, intermitte Normal value of STP microorgani				0,763 3,6		mg/l mg/l		
Normal value for the terrestrial co	mpartment			0,015		mg/kg		
Health - Derived no-effect le	evel - DNEL / DI Effects on consumers	MEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		30 mg/kg bw/d		9,1 mg/kg bw/d		.,		.,
Inhalation	295 mg/m3	295 mg/m3	1,03 mg/m3	1,03 mg/m3		590 mg/m3	2,06 mg/m3	2,06 mg/m3
Skin	1,124 mg/cm2	200 mg/kg bw/d	0,051 mg/cm2	9,1 mg/kg bw/d	2,248 mg/cm2	400 mg/kg bw/d	0,102 mg/cm2	18,2 mg/kg bw/d
SODIUM SILICATE								
Predicted no-effect concentration	- PNEC							
Normal value in fresh water Normal value for marine water se Normal value for water, intermitte				7,5 1 7,5		mg/l mg/l mg/l		
Normal value of STP microorgani  Health - Derived no-effect le		MFI		348		mg/l		
ricaltii - Berivea no-enectit	Effects on consumers	W.L.L			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	0,80 mg/kg bw/d		oyotoniio		oyotoniio
Inhalation			VND	1,38 mg/m3			VND	5,61 mg/m3
Skin			VND	0,8 mg/kg bw/d			VND	1,59 mg/kg bw/d
DISODIUM METASILICATE								
Health - Derived no-effect le	Effects on	MEL			Effects on			
Route of exposure	consumers Acute local	Acute systemic	Chronic local	Chronic systemic	workers Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				0,74 mg/kg bw/d		.,		.,
Inhalation				1,55 mg/m3		6,22		6,22 mg/m3
Skin				0,74 mg/kg bw/d				1,49 mg/kg bw/d
SODIUM PERSULFATE								
Threshold Limit Value Type	Country	TWA/8h		STEL/15min				
.,,,,		mg/m3	ppm	mg/m3	ppm			
VLA	ESP	0,1						
TLV-ACGIH		0,1						
Predicted no-effect concentration - PNEC								
Normal value in fresh water Normal value in marine water				0,0763 11		mg/l mg/l		
Normal value for fresh water sedi Normal value for marine water se				0,275 0,396		mg/kg		
Normal value for water, intermitte	nt release			0,763		mg/kg mg/l		
Normal value of STP microorgani Normal value for the terrestrial co				3,6 0,015		mg/l mg/kg		
Health - Derived no-effect level - DNEL / DMEL								
5	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 8/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

9,1 mg/kg

Oral 30 mg/kg bw/d

bw/d Inhalation 295 mg/m3 295 mg/m3 1,03 mg/m3 1,03 mg/m3 590 mg/m3 2,06 mg/m3 2,06 mg/m3

Skin 1,124 mg/cm2 200 mg/kg bw/d 0,051 mg/cm2 9,1 mg/kg 2,848 400 mg/kg 0,102 18,2 mg/kg bw/d mg/cm2 bw/d mg/cm2 0,102 bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

#### RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard FN 149)

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9. Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance powder Colour grey



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 9/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

Odour characteristic Odour threshold Not available 9,8-10,8 Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point Not available Evaporation rate Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Vapour pressure Not available Vapour density Not available Not available Relative density Not available Solubility Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Not available Decomposition temperature Viscosity Not available Explosive properties Not available Oxidising properties Not available

#### 9.2. Other information

Information not available

## **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### DISODIUM METASILICATE

The aqueous solutions act as: strong bases.

#### SODIUM PERSULFATE

Decomposes at temperatures above 145°C/293°F.

With water it reduces to bisulphate with the development of oygen.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

The powders are potentially explosive when mixed with air.



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 10/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

DISODIUM	METACII	ICATE
ואוטוטטטוע	METASIL	JUAIE

May react dangerously with: fluorine, lithium.

SODIUM PERSULFATE

Reacts violently with: combustible substances, reducing substances. Fire hazard. Possibility of explosion.

10.4. Conditions to avoid

Avoid environmental dust build-up.

#### 10.5. Incompatible materials

#### DISODIUM METASILICATE

The aqueous solution is incompatible with: acids,organic anhydrides,acrilates,alcohols,aldehydes,alkyl oxides,cresoles,caprolactam,epichlorohydrin,ethylene dichloride,glycols,isocyanates,ketones,nitrates,phenoles,vinyl acetate.

#### 10.6. Hazardous decomposition products

### SODIUM PERSULFATE

May develop: sulphur oxides,oxygen.

## **SECTION 11. Toxicological information**

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not availableInformation not available

Information on likely routes of exposure

Information not available Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not availableInformation not available

Interactive effects

Information not availableInformation not available

#### **ACUTE TOXICITY**

LC50 (Inhalation - vapours) of the mixture:LC50 (Inhalation - vapours) of the mixture:

Not classified (no significant component)

LC50 (Inhalation - mists / powders) of the mixture: LC50 (Inhalation - mists / powders) of the mixture:

Not classified (no significant component)



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 11/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

LD50 (Oral) of the mixture:LD50 (Oral) of the mixture: 949 mg/kg LD50 (Dermal) of the mixture:LD50 (Dermal) of the mixture: Not classified (no significant component)

SODIUM PERSULFATE 895 mg/kg Rat LD50 (Oral) > 10000 mg/kg Coniglio LD50 (Dermal) 5,1 mg/l/4h Rat LC50 (Inhalation)

SODIUM SILICATE 3400 mg/ kg (rat) LD50 (Oral) > 5000 mg/kg (rat) LD50 (Dermal) > 2,06 g/m3 (rat) LC50 (Inhalation)

## DIPOTASSIUM PEROXODISULPHATE

1130 mg/kg (ratto) LD50 (Oral) > 10000 mg/kg (coniglio) LD50 (Dermal) > 42,9 mg/l (ratto) LC50 (Inhalation)

DISODIUM METASILICATE 1152 mg/kg bw (Ratto) LD50 (Oral) > 5000 mg/kg bw (Ratto) LD50 (Dermal) > 2,06 g/m3 (Ratto) LC50 (Inhalation)

AMMONIUM PEROXYDISULPHATE 272 mg/kg Rat LD50 (Oral) > 2000 mg/kg Rat LD50 (Dermal) > 5,1 mg/l/4h Rat LC50 (Inhalation)

## SKIN CORROSION / IRRITATION

Corrosive for the skinCorrosive for the skin

## SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damageCauses serious eye damage

#### RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skinSensitising for the skin

Sensitising for the respiratory systemSensitising for the respiratory system

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard classDoes not meet the classification criteria for this hazard class



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 12/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard classDoes not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard classDoes not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

May cause respiratory irritationMay cause respiratory irritation

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard classDoes not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard classDoes not meet the classification criteria for this hazard class

## **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

SODIUM PERSULFATE

LC50 - for Fish 163 mg/l/96h Oncorhynchus mykiss (Trota iridea)

EC50 - for Crustacea 133 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic 116 mg/l/72h Metodo: OECD TG 201

Plants

EC10 for Algae / Aquatic 36 mg/l/18h

Plants

Chronic NOEC for Algae / < 171 mg/l Pseudokirchneriella subcapitata (alghe cloroficee)

Aquatic Plants

SODIUM SILICATE

LC50 - for Fish 1108 mg/l/96h (Brachydanio rerio) EC50 - for Crustacea 1700 mg/l/48h (Daphnia magna)

DIPOTASSIUM

PEROXODISULPHATE

LC50 - for Fish 107,6 mg/l/96h Scophthalmus maximus

EC50 - for Crustacea 120 mg/l/48h (daphnia)

EC50 - for Algae / Aquatic 320 mg/l/72h Phaeodactylum

**Plants** 

DISODIUM METASILICATE

LC50 - for Fish 1108 mg/l/96h (Brachydanio rerio) EC50 - for Crustacea 1700 mg/l/48h (Daphnia magna)

EC50 - for Algae / Aquatic 207 mg/l/72h (Schenedesmus subspicatus)

Plants

**AMMONIUM** 

PEROXYDISULPHATE

LC50 - for Fish 107,6 mg/l/96h Scophthalmus maximus



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 13/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

EC50 - for Crustacea EC50 - for Algae / Aquatic

Plants

Plants

EC10 for Algae / Aquatic

120 mg/l/48h (Daphnia magna) 320 mg/l/72h Phaeodactylum

36 mg/l/72h Pseudomonas putida

#### 12.2. Persistence and degradability

SODIUM PERSULFATE

Solubility in water 730 g/l

Biodegradability: Information not available

**DIPOTASSIUM** PEROXODISULPHATE Rapidly biodegradable

**DISODIUM METASILICATE** 

Solubility in water 210000 mg/l

Biodegradability: Information not available

**AMMONIUM** PEROXYDISULPHATE

Solubility in water > 10000 mg/l

Biodegradability: Information not available

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 14/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

#### 14.1. UN number

ADR / RID, IMDG,

3085

IATA:

IATA:

#### 14.2. UN proper shipping name

ADR / RID: **OXIDIZING** 

SOLID.

CORROSIVE,

N.O.S.

IMDG: OXIDIZING

SOLID,

CORROSIVE,

N.O.S.

OXIDIZING SOLID,

CORROSIVE,

N.O.S.

#### 14.3. Transport hazard class(es)

ADR / RID: Class: 5.1 Label: 5.1 (8)

IMDG: Class: 5.1 Label: 5.1 (8)

IATA: Class: 5.1 Label: 5.1 (8)





#### 14.4. Packing group

IATA:

ADR / RID, IMDG, Ш

14.5. Environmental hazards

ADR / RID: NO IMDG: NO



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 15/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 58 Limited Tunnel Quantities: 5 restriction

code: (E)

Special Provision: -

IMDG: EMS: F-A, S-Q Limited

Special Instructions:

Kg

**A3** 

Quantities: 5

Cargo: Maximum Packaging quantity: 100 instructions:

> Κg Maximum

Packaging quantity: 25 instructions: 559

563

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Pass.:

Information not relevant

IATA:

## **SECTION 15. Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: P8

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance

Point 65 **AMMONIUM** 

PEROXYDISULPHA TE Reg. no.: 01-2119495973-19-0000

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisarion (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 16/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

None

Substances subject to the Stockholm Convention:

None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

#### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Sol. 3 Oxidising solid, category 3

Met. Corr. 1 Substance or mixture corrosive to metals, category 1

Acute Tox. 4 Acute toxicity, category 4

Skin Corr. 1B Skin corrosion, category 1B

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Resp. Sens. 1 Respiratory sensitization, category 1

Skin Sens. 1 Skin sensitization, category 1
H272 May intensify fire; oxidiser.
H290 May be corrosive to metals.
H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

## LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level



Revision nr. 1 Dated 26/06/2018 Printed on 26/06/2018 Page n. 17/17

## Sens.ùs Inblonde Ultra Platinum 9 Deco

- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

## Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.